Author index

ÅBLAD, B. (*see* DAHLÖF, C.)
ÅBORG, C.-H. (*see* UVNÄS, B.)
AGNATI, L. F. (*see* GRIMALDI, R.)
AHRÉN, B. (*see* LINDSKOG, S.)
ALMGREN, O. (*see* HALLBERG, H.)
ANDÉN, N.-E. (*see* OLSSON, K.)
ANDERSSON, B., AUGUSTINSSON, O., BADEMO, E., JUNKERGÅRD, J., KVART, C., NYMAN, G. & WIBERG, M. Systemic and centrally mediated angiotensin II effects in the horse, 143
ANDERSSON, B., AUGUSTINSSON, O., HOLST, H. & JÓNASSON, H. ACTH-mediated aldosterone hypersecretion during endotoxin-induced fever with apparent influence upon renal sodium excretion, 451
ANDERSSON, G. (*see* JENNISCHE, E.)
ANDERSSON, L.-O. (*see* MELLANDER, S.)
ARJAMAA, O. (*see* HANSELL, P.)
ASTRUP, A. (*see* GARBY, L.)
AUGUSTINSSON, O. (*see* ANDERSSON, B.)
AUKLAND, K. (*see* LUND, T.)

BADEMO, E. (*see* ANDERSSON, B.)
BARNES, P. J. (*see* CONRADSON, T.-B. G.)
BAYATI, A. (*see* ÖJTEG, G.)
BERGQVIST, D. (*see* PERSSON, N.-H.)
BJÖRNBERG, J. (*see* MELLANDER, S.)
BRUNSSON, I. (*see* EKLUND, S.)

CARLSSON, B., TÖRNELL, J. & HILLENSJÖ, T. Vasoactive intestinal peptide stimulates meiosis of follicle-enclosed rat oocytes *in vitro*, 437
CARLSSON, L., ERIKSSON, E., SEEMAN, H. & JANSSON, J.-O. Oestradiol increases baseline growth hormone levels in the male rat: possible direct action on the pituitary, 393
CELSING, F., SVEDENHAG, J., PIHLSTEDT, P. & EKBLOM, B. Effects of anaemia and stepwise-induced polycythaemia on maximal aerobic power in individuals with high and low haemoglobin concentrations, 47
CHERKSEY, B. D. & ZEUTHEN, T. A membrane protein with a K^+ and a Cl^- channel, 137
CHRISTENSSON, B. (*see* ÖHLIN, H.)
CLARKE, B. (*see* CONRADSON, T.-B. G.)
CONRADSON, T.-B. G., DIXON, C. M. S., CLARKE, B. & BARNES, P. J. Cardiovascular effects of infused adenosine in man: potentiation by dipyridamole, 387

DAHLBORN, K. (*see* OLSSON, K.)
DAHLÖF, C., KAHAN, T. & ÅBLAD, B. Prejunctional β_2-adrenoceptor blockade reduces nerve stimulation evoked release of endogenous noradrenaline in skeletal muscle *in situ*, 499
DIXON, C. M. S. (*see* CONRADSON, T.-B. G.)
DURANTI, R. (*see* WIESENFELD-HALLIN, Z.)

EDSTRÖM, L. (*see* SAHLIN, K.)
EHINGER, B. & HALLENGREN, C. Histamine in the retina, 263
EK, B., JODAL, M. & LUNDGREN, O. Autoradiographic location of β-adrenoceptor subtypes in cat colon smooth muscle, 353
EKBLOM, A. (*see* HANSSON, P.)
EKBLOM, B. (*see* CELSING, F.)
EKLUND, S., FAHRENKRUG, J., JODAL, M., LUNDGREN, O. & SJÖQVIST, A. Mechanisms of neurotensin-induced net fluid secretion in the cat ileum *in vivo*, 203
EKLUND, S., BRUNSSON, I., JODAL, M. & LUNDGREN, O. Changes in cyclic 3′5′-adenosine monophosphate tissue concentration and net fluid transport in the cat's small intestine elicited by cholera toxin, arachidonic acid, vasoactive intestinal polypeptide and 5-hydroxytryptamine, 115
ELAM, M. & WALLIN, B. G. Skin blood flow responses to mental stress in man depend on body temperature, 429
ELLINGSEN, I., HAUGE, A., NICOLAYSEN, G., THORESEN, M. & WALLØE, L. Changes in human cerebral blood flow due to step changes in $P_{A_{O_2}}$ and $P_{A_{CO_2}}$, 157
ELLINGSEN, I., LIESTØL, K., SYDNES, G., HAUGE, A. & NICOLAYSEN, G. Arterial P_{CO_2} and lung ventilation in man exposed to 1–5% CO_2 in the inspired gas, 269
ELLINGSEN, I., SYDNES, G., HAUGE, A., ZWART, J.-A., LIESTØL, K. & NICOLAYSEN, G. CO_2 sensitivity in humans breathing 1 or 2% CO_2 in air, 195
ELY, D. E., THORÉN, P., WEIGAND, J. & FOLKOW, B. Sodium appetite as well as 24-h variations of fluid balance, mean arterial pressure and heart rate in spontaneously hypertensive (SHR) and normotensive (WKY) rats, when on various sodium diets, 81
ELY, D. (*see* HOFFMANN, P.)
ENEROTH, P. (*see* FINKEL, Y.)
ENGBERG, G. (*see* HAJÓS, M.)
ENGEL, K. (*see* WAMBERG, S.)
ERIKSSON, Ö. & WISTRAND, P. J. A search for a model tissue for studying effects of thiazide diuretics, 171
ERIKSSON, E. (*see* CARLSSON, L.)
ERLANSSON, M. (*see* PERSSON, N.-H.)

FAHRENKRUG, J. (*see* EKLUND, S.)
FINKEL, Y., SAHLGREN, B. & ENEROTH, P. Prolactin, AVP, angiotensin II, corticosterone and aldosterone in the rat during weaning, 319
FLADBY, T. Postnatal loss of synaptic terminals in the normal mouse soleus muscle, 229
FLADBY, T. & JANSEN, J. K. S. Postnatal loss of synaptic terminals in the partially denervated mouse soleus muscle, 239
FOLKOW, B. (*see* ELY, D. E.)
FREDHOLM, B. B. (*see* SÖDERBÄCK, U.)
FRIBERG, P. (*see* HOFFMANN, P.)
FUXE, K. (*see* GRIMALDI, R.)
FYHRQUIST, F. (*see* TIKKANEN, T.)

GARBY, L. & ASTRUP, A. The relationship between the respiratory quotient and the energy equivalent of oxygen during simultaneous glucose and lipid oxidation and lipogenesis, 443
GÖRANSSON, A. (*see* HANSELL, P.)
GRADIN, K., HEDNER, J., HEDNER, T., TOWLE, A. C., PETTERSSON, A. & PERSSON, B. Effects of chronic salt loading on plasma atrial natriuretic peptide (ANP) in the spontaneously hypertensive rat, 67
GRIMALDI, R., ZINI, I., AGNATI, L. F., FUXE, K. & HÄRFSTRAND, A. Intravenous administration of atriopeptin III affects arterial blood pressure differentially in young and old male rats, 525

HAGBARTH, K.-E. (*see* KUNESCH, E.)
HAGLIND, E. (*see* LUNDGREN, O.)
HAJÓS, M., JANCSÓ, G. & ENGBERG, G. Capsaicin-induced excitation of locus coeruleus neurons, 415
HÅKANSON, R. (*see* WAHLESTEDT, C.)
HALLBERG, H. Blockade of central β-adrenoceptors attenuates tremor induced by 5-hydroxytryptamine (5-HT)-receptor activation in rats, 421
HALLBERG, H. & ALMGREN, O. Modulation of oxotremorine-induced tremor by central β-adrenoceptors, 407
HALLENGREN, C. (*see* EHINGER, B.)
HALVORSEN, S. (*see* SANENGEN, T.)
HANSELL, P., GÖRANSSON, A., LEPPÄLUOTO, J., ARJAMAA, O., VAKKURI, O. & ULFENDAHL, H. R. CNS-induced natriuresis is not mediated by the atrial natriuretic factor, 221
HANSELL, P. & ULFENDAHL, H. R. The influence of Atriopeptins I and II on the relationship between glomerular filtration and natriuresis, 361
HANSSON, H.-A., JENNISCHE, E. & SKOTTNER, A. IGF-I expression in blood vessels varies with vascular load, 165
HANSSON, H.-A. (*see* JENNISCHE, E.)
HANSSON, P. & EKBLOM, A. A modified technique to selectively stimulate the rat incisor tooth, 447
HARALDSSON, B. & RIPPE, B. Orosomucoid as one of the serum components contributing to normal capillary permselectivity in rat skeletal muscle, 127
HARALDSSON, B. (*see* RIPPE, B.)
HÄRFSTRAND, A. (*see* GRIMALDI, R.)
HAUGE, A. (*see* ELLINGSEN, I.)
HEDNER, J. (*see* GRADIN, K.)
HEDNER, T. (*see* GRADIN, K.)
HELLSTRAND, P. (*see* LÖVGREN, B.)
HELLSTRÖM, P. M. Mechanisms involved in colonic vasoconstriction and inhibition of motility induced by neuropeptide Y, 549
HENRIKSSON, J. (*see* SCHANTZ, P. G.)
HILLENSJÖ, T. (*see* CARLSSON, B.)
HERRERA-MARSCHITZ, M. & UNGERSTEDT, U. The dopamine-γ aminobutyric acid interaction in the striatum of the rat is differently regulated by dopamine D-1 and D-2 types of receptor: evidence obtained with rotational behavioural experiments, 371
HIRVONEN, L. (*see* RÄMÖ, P.)
HJEMDAHL, P. (*see* WALLIN, B. G.)
HOFFMANN, P., FRIBERG, P., ELY, D. & THORÉN, P. Effect of spontaneous running on blood pressure, heart rate and cardiac dimensions in developing and established spontaneous hypertension in rats, 535
HOLST, H. (*see* ANDERSSON, B.)
HOOD, B. (*see* ÖHLIN, H.)
HUANG, K. H. & SHYU, B. C. Differential stress effects on responses to noxious stimuli as measured by tail-flick latency and squeak threshold in rats, 401

ILEBEKK, A. (*see* VENGEN, Ø. A.)

JANSCÓ, G. (*see* HAJÓS, M.)
JANSEN, J. K. S. (*see* FLADBY, T.)
JANSSON, J.-O. (*see* CARLSSON, L.)
JENNISCHE, E., ANDERSSON, G. & HANSSON, H.-A. Epidermal growth factor is expressed by cells in the distal tubules during postnephrectomy renal growth, 449
JENNISCHE, E., SKOTTNER, A. & HANSSON, H.-A. Satellite cells express the trophic factor IGF-I in regenerating skeletal muscle, 9
JENNISCHE, E. (*see* HANSSON, H.-A.)
JODAL, M. (*see* EK, B.)
JODAL, M. (*see* EKLUND, S.)
JOHANSSON, K. (*see* OLSSON, K.)
JÓNASSON, H. (*see* ANDERSSON, B.)
JUNKERGÅRD, J. (*see* ANDERSSON, B.)

KAHAN, T. (*see* DAHLÖF, C.)
KÄLLSKOG, Ö. (*see* ÖJTEG, G.)
KARLBERG, B. E. (*see* OLSSON, K.)
KARLSSON, J.-A. (*see* KRÖLL, F.)
KETTUNEN, R. (*see* RÄMÖ, P.)
KILDEBERG, P. (*see* WAMBERG, S.)
KIIL, F. (*see* ØSTENSEN, J.)
KRÖLL, F., KARLSSON, J.-A. & PERSSON, C. G. A. Tracheobronchial microvessels perfused via the pulmonary artery in guinea-pig isolated lungs, 445

KUNESCH, E., SCHMIDT, R., NORDIN, M., WALLIN, U. & HAGBARTH, K.-E. Peripheral neural correlates of cutaneous anaesthesia induced by skin cooling in man, 247
KVART, C. (*see* ANDERSSON, B.)

LAGERBÄCK, P.-Å. & ULFHAKE, B. Ultrastructural observations on beaded α-motoneuron dendrites, 61
LANGBERG, H. (*see* ØSTENSEN, J.)
LÄNNERGREN, J. & WESTERBLAD, H. Action potential fatigue in single skeletal muscle fibres of *Xenopus*, 311
LEPPÄLUOTO, J. (*see* HANSELL, P.)
LIESTØL, K. (*see* ELLINGSEN, I.)
LINDSKOG, S. & AHRÉN, B. Galanin: effects on basal and stimulated insulin and glucagon secretion in the mouse, 305
LÖVGREN, B. & HELLSTRAND, P. Functional role of aerobic glycolysis in rat portal vein, 211
LUNDGREN, O., MÅRDH, S. & HAGLIND, E. Evidence for the existence of an endogenous inhibitor of Na,K-ATPase in plasma from cats and rats, 465
LUNDGREN, O. (*see* EK, B.)
LUNDGREN, O. (*see* EKLUND, S.)
LUND, T., WIIG, H., REED, R. K. & AUKLAND, K. A 'new' mechanism for oedema generation: strongly negative interstitial fluid pressure causes rapid fluid flow into thermally injured skin, 433

MÄEPEA, O. (*see* NILSSON, S. F. E.)
MÅRDH, S. (*see* LUNDGREN, O.)
MASPERS, M. (*see* MELLANDER, S.)
MATTIASSON, I. (*see* ÖHLIN, H.)
MELLANDER, S., BJÖRNBERG, J., MASPERS, M. & MYRHAGE, R. Method for continuous recording of hydrostatic exchange vessel pressure in cat skeletal muscle, 325
MELLANDER, S., MASPERS, M., BJÖRNBERG, J. & ANDERSSON, L.-O. Autoregulation of capillary pressure and filtration in cat skeletal muscle in states of normal and reduced vascular tone, 337
MORLIN, C. (*see* WALLIN, B. G.)
MYHRE, K. (*see* SANENGEN, T.)
MYRHAGE, R. (*see* MELLANDER, S.)

NICOLAYSEN, G. (*see* ELLINGSEN, I.)
NILSSON, J. & THORSTENSSON, A. Adaptability in frequency and amplitude of leg movements during human locomotion at different speeds, 107
NORDIN, M. (*see* KUNESCH, E.)
NYGREN, K. (*see* ÖJTEG, G.)
NYMAN, G. (*see* ANDERSSON, B.)
NYSTRÖM, I. (*see* ÖHLIN, H.)

ODDSSON, L. & THORSTENSSON, A. Fast voluntary trunk flexion movements in standing: motor patterns, 93
ÖHLIN, H., MATTIASSON, I., CHRISTENSSON, B., NYSTRÖM, I. & HOOD, B. [^{3}H]noradrenaline efflux from platelets and synaptosomes of ethanol-treated rats, 529
ÖJTEG, G., BAYATI, A., KÄLLSKOG, Ö. & WOLGAST, M. Renal capillary permeability and intravascular red cell aggregation after ischaemia. I. Effects of xanthine oxidase activity, 295
ÖJTEG, G., NYGREN, K. & WOLGAST, M. Permeability of renal capillaries. I. Preparation of neutral and charged protein probes, 277
ÖJTEG, G., NYGREN, K. & WOLGAST, M. Permeability of renal capillaries. II. Transport of neutral and charged protein molecular probes, 287
OLESEN, S.-P. Free oxygen radicals decrease electrical resistance of microvascular endothelium in brain, 181
OLIW, E. H. Prostaglandin E_2 20-hydroxylase in ampulla of vas deferens of sheep, 259
OLSSON, K., ANDÉN, N.-E., JOHANSSON, K. & THORNSTRÖM, U. Effects of acute haemorrhagic hypotension during pregnancy and lactation in conscious goats, 479
OLSSON, K., DAHLBORN, K. & KARLBERG, B. E. Blood pressure response to angiotensin II in pregnant and lactating goats maintained on high or low sodium intake, 73
ØSTENSEN, J., LANGBERG, H. & KIIL, F. How bicarbonate loading inhibits tubular reabsorption of NaCl in dog kidneys, 35

PERSSON, B. (*see* GRADIN, K.)
PERSSON, C. G. A. (*see* KRÖLL, F.)
PERSSON, N.-H., ERLANSSON, M., BERGQVIST, D., TAKOLANDER, R. & SVENSJÖ, E. Terbutaline and budesonide as inhibitors of postischaemic permeability increase, 517
PETTERSSON, A. (*see* GRADIN, K.)
PETTERSSON, K. & TUTTLE, R. S. Immediate reduction of blood pressure and sympathetic nerve activity after β-blockade in anaesthetized cats with deafferentiated arterial baroreceptors, 267
PIHLSTEDT, P. (*see* CELSING, F.)

RÄMÖ, P., KETTUNEN, R. & HIRVONEN, L. The effects of anabolic steroids and endurance training on systolic time intervals in the dog, 543
REED, R. K. (*see* LUND, T.)
REBUFFÉ-SCRIVE, M. Sex steroid hormones and adipose tissue metabolism in ovariectomized and adrenalectomized rats, 471
RIPPE, B. & HARALDSSON, B. On the steady-state relationship between the microvascular hydrostatic pressure and the transvascular filtration rate. Effects of heteroporosity, 441
RIPPE, B. (*see* HARALDSSON, B.)

SAHLGREN, B. (*see* FINKEL, Y.)
SAHLIN, K., EDSTRÖM, L. & SJÖHOLM, H. Force,

relaxation and energy metabolism of rat soleus muscle during anaerobic contraction, 1
SANENGEN, T., MYHRE, K. & HALVORSEN, S. Erythropoietic factors in plasma from neonatal mice. *In vivo* studies by the exhypoxic polycythaemic mice assay for erythropoietin, 381
SCHANTZ, P. G. & HENRIKSSON, J. Enzyme levels of the NADH shuttle systems: measurements in isolated muscle fibres from humans of differing physical activity, 505
SCHMIDT, R. (*see* KUNESCH, E.)
SEEMAN, H. (*see* CARLSSON, L.)
SHYU, B. C. (*see* HUANG, K. H.)
SJÖHOLM, H. (*see* SAHLIN, K.)
SJÖQVIST, A. (*see* EKLUND, S.)
SKARPHEDINSSON, J. O. & THORÉN, P. The effects of naloxone on behavioural depresion due to hypotensive haemorrhage in unanaesthetized spontaneously hypertensive rats, 27
SKOTTNER, A. (*see* HANSSON, H.-A.)
SKOTTNER, A. (*see* JENNISCHE, E.)
SÖDERBÄCK, U., SOLLEVI, A. & FREDHOLM, B. B. The disappearance of adenosine from blood and platelet suspension in relation to the platelet cyclic AMP content, 189
SOLLEVI, A. (*see* SÖDERBÄCK, U.)
SVEDENHAG, J. (*see* CELSING, F.)
SVENSJÖ, E. (*see* PERSSON, N.-H.)
SYDNES, G. (*see* ELLINGSEN, I.)

TAKOLANDER, R. (*see* PERSSON, N.-H.)
THORÉN, P. (*see* ELY, D. E.)
THORÉN, P. (*see* HOFFMANN, P.)
THORÉN, P. (*see* SKARPHEDINSSON, J. O.)
THORESEN, M. (*see* ELLINGSEN, I.)
THORNSTRÖM, U. (*see* OLSSON, K.)
THORSTENSSON, A. (*see* NILSSON, J.)
THORSTENSSON, A. (*see* ODDSSON, L.)
TIKKANEN, T., TIKKANEN, I. & FYHRQUIST, F. Plasma atrial natriuretic peptide in DOCA-NaCl-treated rats, 151
TIKKANEN, I. (*see* TIKKANEN, T.)
TÖRNELL, J. (*see* CARLSSON, B.)
TOWLE, A. C. (*see* GRADIN, K.)
TUTTLE, R. S. (*see* PETTERSSON, K.)

ULFENDAHL, H. R. (*see* HANSELL, P.)
ULFHAKE, B. (*see* LAGERBÄCK, P.-Å.)
UNGERSTEDT, U. (*see* HERRERA-MARSCHITZ, M.)
UVNÄS, B. & ÅBORG, C.-H. Concomitant release by ion exchange of catecholamines (CA) and adenosine triphosphate (ATP) from bovine chromaffin granules superfused with isotonic sodium or potassium salt solutions, 585
UVNÄS, B. & ÅBORG, C.-H. A mixed cation (IRC-50)–anion (IR-4B) exchanger shows storage properties reminiscent of the storage of catecholamines (CA) and adenosine triphosphate (ATP) in chromaffin granules, 587

VAKKURI, O. (*see* HANSELL, P.)
VENGEN, Ø. A. & ILEBEKK, A. Cardiac end-distolic dilation during acute blood pressure elevation is inotropy dependent, 557
VENGEN, Ø. A. & ILEBEKK, A. Conditions for increased cardiac output during occlusion of the descending thoracic aorta, 565

WAHLESTEDT, C., WOHLFART, B. & HÅKANSON, R. Effects of neuropeptide Y (NPY) on isolated guinea-pig heart, 459
WALLIN, B. G., MORLIN, C. & HJEMDAHL, P. Muscle sympathetic activity and venous plasma noradrenaline concentrations during static exercise in normotensive and hypertensive subjects, 489
WALLIN, B. G. (*see* ELAM, M.)
WALLIN, U. (*see* KUNESCH, E.)
WALLØE, L. (*see* ELLINGSEN, I.)
WAMBERG, S., ENGEL, K. & KILDEBERG, P. Methionine-induced acidosis in the weanling rat, 575
WEIGAND, J. (*see* ELY, D. E.)
WESTERBLAD, H. (*see* LÄNNERGREN, J.)
WIBERG, M. (*see* ANDERSSON, B.)
WIESENFELD-HALLIN, Z. & DURANTI, R. D-Arg[1], D-Trp[7,9], Leu[11]-substance P (spantide) does not antagonize substance P-induced hyperexcitability of the nociceptive flexion withdrawal reflex in the rat, 55
WIIG, H. (*see* LUND, T.)
WISTRAND, P. J. (*see* ERIKSSON, Ö.)
WOHLFART, B. (*see* WAHLESTEDT, C.)
WOLGAST, M. (*see* ÖJTEG, G.)

ZEUTHEN, T. (*see* CHERKSEY, B. D.)
ZINI, I. (*see* GRIMALDI, R.)
ZWART, J.-A. (*see* ELLINGSEN, I.)

Subject index

Acceleration, 93
Accelerometer, 407, 421
Acid–base balance, 575
Acidosis, 575
ACTH, 451
Action potential, 459
Acute renal failure, 295
Adenosine, 387
Adenosine analogues, 189
Adenosine deaminase, 189
Adenosine triphosphate, 585, 587
Adipose tissue, 471
Adrenalectomized, 471
β-adrenoceptor agonists, 407
β-adrenoceptor antagonists, 407, 421
β-adrenoceptors, 353, 499
Aerobic glycolysis, 211
After-load, 557, 565
Aged rats, 525
Albumin clearance, 127
Aldosterone, 143, 319, 451, 479
Allopurinol, 295
Alpha-glycerophosphate shuttle, 505
Anaemia, 47, 381
Anaesthesia, 247
ANF, 361
Angiotensin, 143
Angiotensin II, 73, 319
ANP, 151
Anterior uvea, 17
Anti-erythropoietin, 381
Aortic occlusion, 557
Apomorphine, 371
Arachidonic acid, 115, 181
Arginine-vasopressin, 319, 479
Arousal test, 27
Arterial blood pressure, 73
ATP, 1
Atrial natriuretic factor, 221
Atrial natriuretic peptide, 67, 151
Atriopeptin III, 525
Autoradiography, 353

Beaded dendrites, 61
Beta-adrenergic, 337
Bicuculline, 371
Biphasic fever, 451
β-blockade, 267
Blood–brain barrier damage, 181
Blood flow autoregulation, 337
Blood gases, 195, 269
Blood pressure, 67, 387, 525, 535
Blood redistribution, 565
Budesonide histamine, 517

Calcium, 181
cAMP, 211
Canine gracilis muscle, 499
Capillary permeability, 127
Capillary filtration, 325
Capillary pressure, 325
Capsaicin, 415
Carbachol, 305
Cat, 61, 353
Catecholamines, 585, 587
Catheterization, 543
Cats, 267
Central β-adrenoceptors, 407, 421
Cerebral circulation, 157
Cerebral ischaemia, 27
Cerebrospinal fluid, 221
Chemical modification, 277
Chicken, 263
Cholera toxin, 115
Choroid, 17, 263
Chromaffin granules, 585, 587
Chronic salt loading, 67
Cl^- channel, 137
Cold, 247
Colon, 549
Colon sections, 353
Continuous capillaries, 127
Contractility, 543
Contraction, 311, 459
CO_2 response, 269
CO_2 response curve, 195
Corticosterone, 319
Cortisol, 451
Cow, 263
Cyclic 3′5′-adenosine monophosphate hexamethonium, 115
Cytochrome P-450, 259

Deafferentiation, 267
Dexamethasone, 451
Dipyridamole, 189, 387
Diuretics, 171
Diurnal pressure and sodium intake, 81
DOCA-escape, 151
DOCA-NaCl hypertension, 151
Dog, 35
Doppler ultrasound, 157

Early anaemia, 381
EMG, 93
Endogenous noradrenaline, 499

Endotoxin, 451
Energy equivalents, 443
Enteric nerves, 203
Enteric nervous system, 115
Enzyme activity, 505
Equilibrium, 93
Erythropoiesis, 381
Erythropoiesis stimulating factor(s), 381
Erythropoietin, 381
Ethacrynic acid, 35
Ethanol, 529
Exercise, 535

Fast voluntary movements, 93
Fibre types, 505
Filtration force, 337
Fish, 171
FITC-dextran, 517
Frog, 181
Free radicals, 295
Furosemide, 137

Galanin, 305
GH secretion, 393
Glomerular capillaries, 287
Glomerular filtration rate, 361
Glucagon secretion, 305
Glycerol, 311
Goat, 451, 479
Granule storage, 587
Growth, 381
Guinea-pig, 263

Haemoglobin concentration, 47
Haemorrhage, 27, 479
Hamster, 517
Heart, 459, 535, 543
Heart muscle, 17
Heart rate, 387
Hexamethonium, 203
Histamine, 263
Horse, 143
HRP, 61
Human locomotion, 107
Human platelets, 189
Human skeletal muscle, 505
β-hydroxybutyrate, 211
20-hydroxyprostaglandin E_2, 259
5-hydroxytryptamine, 115, 421
5-hydroxytryptophan, 421
Hypercapnia, 157
Hypertension, 143, 489, 535
Hypertrophy, 165
Hypocapnia, 157
Hypotension, 267
Hypoxia, 157

Immunocytochemistry, 165
Indirect calorimetry, 443
Inflammatory mediators, 181
Insulin-like growth factor I, 165
Insulin secretion, 305
Intestinal secretion, 115
Intestine, 203
Intracellular pH, 1
Intracellular staining, 61
Intracerebroventricular stimulation, 221
Intrathecal, 55
In vivo, 305
Iodoacetate, 211
Ion coupling, 137
Ion exchange, 585
Ionic permeability, 181
Ischaemia, 9, 517
Isocapnic hyperpnoea, 195
Isogravimetric capillary pressure, 325
Isolated perfused lung, 445
Isometric exercise, 489
Isoproterenol, 337, 557

K^+ channel, 137
Kidney, 221, 361

Lactate, 1
Lactate accumulation, 47
Lactation, 73, 479
L-aspartate, 55
Left ventricular function, 557, 565
Left ventricular inotropy, 565
L-glutamate, 55
Lipogenesis, 443
Lipolysis, 471
Lipoprotein lipase, 471
Local blood flow, 17
Locus coeruleus, 415
Lung ventilation, 195

Macromolecular exchange, 127
Malate–aspartate shuttle, 505
Man, 387
Maximal aerobic power, 47
Mechanoreceptors, 247
Membrane charge, 287
Membrane potential, 311
Mepyramine, 517
Metabolism, 259
Metoprolol, 499
Met-enkephalin, 203
Methionine loading, 575
5-methoxy-*N*,*N*-dimethyltryptamine, 421
Microcirculation, 325
Microneurography, 247, 489
Microvascular anastomoses, 325
Mixed cation–anion exchanger, 587
Molecular probes, 277
Morphine, 401

Motility, 549
α-motoneurons, 61
Motor neurons, 229, 239
Mouse, 305
Muscimol, 371
Muscle, 1, 311
Muscle fibres, 311
Muscle sympathetic activity, 489
Myocardium, 459
Myogenic regulation, 337

Na,K-ATPase, 465
Naloxone, 27, 55, 401
Na^+ transport, 171
Natriuresis, 361
Natriuretic hormone, 221
Nerve tissue proteins, 305
Net fluid secretion, 203
Neural development, 229, 239
Neuromuscular connections, 239
Neuromuscular junction, 229
Neuropeptide, 55
Neuropeptides, 305
Neuropeptide Y, 459, 549
Neurotensin, 203
Nipecotic acid, 371
Noradrenaline, 459, 479, 549
Noradrenaline efflux, 529

Oestrogen, 471
Oestrogens, 393
Open-loop gain, 337
Osmotic diuresis, 35
Oxotremorine, 407

Pain, 401
Pancreas, 17
Papaverine, 337
Papillary muscle, 459
Parotid gland, 17
Partial denervation, 239
Pergolide, 371
Peritubular capillaries, 287
Permeability, 517
Physical training, 505
Picrotoxin, 371
Pig, 557, 565
Pituitary, 393
Plasma, 465, 479
Plasma bicarbonate concentration, 35
Plasma noradrenaline, 489
Platelets, 529
Polycythaemia, 47
Postnatal, 381
Postnatal development, 319
Postural control, 93
Pregnancy, 73, 479
Pre-load, 557
Primary hypertension and sodium, 81
Progesterone, 471
Prolactin, 319
Propranolol, 499
Protein charge, 277
Protein degradation, 277, 287
Pulmonary-bronchial vascular anastomoses, 445
Pyrilamine, 203
Pyruvate, 211

Quinine, 137

Rabbit, 263
Radioenzymatic assay, 263
Rat, 151, 221, 263, 361, 393, 535, 575
Ratio of pre- to postcapillary resistance, 337
Rats ovariectomized, 471
Regeneration, 9
Regulation, 269
Relaxation, 1
Release, 585
Reperfusion, 517
Reproduction, 259
Respiration, 195, 269
Respiratory quotient, 443
Retina, 263
Retrogade microvascular flow, 445
Right ventricular function, 557, 565

Satellite cells, 9
Serum, 127
Scavengers, 295
Seminal fluid, 259
SHR, 67
Skeletal muscle, 9
Skin, 247
Skin temperature, 387
Smooth muscle cells, 165
Sodium, 221
Sodium appetite, 81
Sodium dependence, 73
Sodium excretion, 451
Sodium intake in SHR, 81
Sodium intake/output, 81
Somatomedin C, 9
Somatosensory evoked potentials, 27
Speed adaptation, 107
Spinal cord, 55, 61
Spontaneously hypertensive rats, 27
Squeak threshold, 401
Steroids, 543
Stress analgesia, 401
Stress hyperalgesia, 401
Stride frequency, 107
Stride length, 107
Stroke volume, 565
Submandibular gland, 17
Substance P antagonist, 55

Sulphate, 575
Sulphur metabolism, 575
Sympathetic activity, 267
Sympathetic neurotransmission, 499
Synapse elimination, 229
Synaptic competition, 239
Synaptology, 61
Synaptosomes, 529

Tachycardia, 143
Tail-flick latency, 401
Temporal aspects, 107
Tension, 1
Terbutaline, 517
Testosterone, 393
Tetrodotoxin, 203
Thiazides, 171
Thirst, 143
Thyroid gland, 17
Toad, 171
Tracheobronchial microvascular plexuses, 445
Transverse, 311
Trauma, 337
Tremor, 407, 421
Trunk, 93
Tubular reabsorption, 35

Ultrastructure, 61
Urinary bladder, 171
Urinary flow, 525
Uveal blood flow, 17

Vascular load, 165
Vascular reactivity, 337
Vascular smooth muscle, 211
Vascular tone, 325
Vasoactive intestinal polypeptide, 115, 203
Vasoconstriction, 549
Vasodilatation, 499
Vasopressin, 451
Ventilation, 269
Viscosity, 47
Volume regulation, 137

Xanthine oxidase, 181